


# Produktbild folgt in Kürze

# Roller chain 12B-1 Transfer chain, maintenance-free - JWIS

Part no.: 50032663 Packaging Unit: 5,024m

Brand: JWIS

Model: Transfer chain Surface: maintenance-free



# Produktbild folgt in Kürze

# Technical data

ROLLER CHAIN	12B
Pitch p (mm)	19,05
Roller diameter d1 max. (mm)	12,07

www.iwis.com



# **Product Information**

Fully enclosed transfer chains (= TF) with wear-resistant, rugged snap-on plastic attachments prevent malfunctions caused byforeign bodies etc. The chain is particularly suitable for machine-processed parts, even items with sensitive surfaces.

#### Highlights:

- All-round protection of functional components of the chain: attachments enclose the chain on three sides, even in the vicinity of sprockets
- · Base chain MEGAlife
- · Gentle handling of delicate goods
- · Close-fitting covers prevent the risk of injuries and malfunctions
- · Outside of the chain is absolutely clean, so there is no accumulation of dust
- · Drive chain always remains clean, even under adverse operating conditions
- Suitable for horizontal and vertical installation
- · No lifting of the load in the vicinity of the sprockets

# **Applications**

- · Warehouse technology, materials-handling industry
- · Food processing industry
- · Packaging industry
- · Mechanical engineering and systems construction
- · Electronics industry and PCB manufacture
- · Pharmaceutical industry, medical technology
- · Glass, ceramic and building material industry
- · Printing industry, paper manufacture



#### **REQUEST DIRECTLY ONLINE NOW**

https://www.iwis.com/en-gb/products-services/roller-chain-12b-1-transfer-chain-maintenance-free-jwis~p4877

# Useful information

www.iwis.com 2





### **CALCULATION PROGRAM**

InduKet: the Chain Drive Calculation Program for Engineers.

iwis.com/chaincalc



# **CHAIN CALCULATION**

The right drive solution for your challenge.

chaindrive@iwis.com



### **SERVICES**

ChainFinder, CAD data, iwis Chain Handbook and more.

iwis.com/services

www.iwis.com 3